

Review of Amtech.cz

Generated on 2024-11-16

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary



Title Tag



Amtech - SMT, dávkování, automatizace a robotika

Length: 48 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description



Amtech - Váš specialista na SMT technologie, dávkování, automatizaci a robotiku

Length: 79 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords



smt, pájení, aoi, spi, dps, dispenzery, dávkování, AGV, roboti, roboty, osazování, smd, automatizace

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

[Amtech - SMT, dávkování, automatizace a robotika](#)
[amtech.cz/](#)

Amtech - Váš specialista na SMT technologie, dávkování, automatizaci a robotiku

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

Headings

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
1	231	7	0	0	0

<H1> Váš specialista na SMT technologie, automatizaci a robotiku </H1>

<H2> Nedávné instalace </H2>

<H2> Instalace 3D AOI od SAKI v ZPA Smart Energy, Trutnov </H2>

<H2> Instalace osazovacího automatu Fuji Aimex IIIC pro NPI </H2>

<H2> Instalace sítotisku MPM </H2>

<H2> Dodávka Automatické inspekce pro THT komponenty do Vimperku </H2>

<H2> Dodávka třetí laser marking linky od NUTEK do Plzeňského kraje </H2>

<H2> Úspěšná instalace selektivní pájecí vlny Vitronic Soltec Zeva V v automotive firmě v Pardubicích </H2>

<H2> Doručení dvou linek Nutek NTM dopravníků do renomované firmy v Ráječku </H2>

<H2> Úspěšná instalace zařízení Nutek v trutnovské firmě </H2>

<H2> Doručení speciální NUTEK linky pro slovenského integrátora v automotive průmyslu </H2>

<H2> Doručení dalšího zařízení SAKI do renomované lanškrounské firmy </H2>

<H2> Nová osazovací linka Fuji s 5 moduly NXT III </H2>

<H2> Instalace Asyrl 530 + EYE+ a UR </H2>

<H2> Instalace moderních 3D inspekčních zařízení SAKI zvyšuje kvalitu výroby v Lanškrouně </H2>

<H2> Automatizace osazování THT procesu - Fuji sFAB </H2>

<H2> Instalace pájecí vlny Soltec Delta X v Žilinském kraji </H2>

<H2> Automatická optická inspekce - SAKI 3D AOI, typ 3Di-LS2 se Z-osou </H2>

<H2> Dávkování pod vakuem </H2>

<H2> Dávkovací systémy pro integraci </H2>

<H2> Instalace 3 kompletních SMT linek v Prešovském kraji </H2>

<H2> Instalace KIC RPI do existující reflow pece v Prešovském kraji </H2>

<H2> Nasazení flotily 3 robotů MiR1350 v automotive výrobě v Prešovském kraji </H2>

<H2> Osazovací automaty Fuji NXT III – druhá fáze v Ráječku </H2>

<H2> Automatická dávkovací stanice </H2>

<H2> Instalace dávkovacího zařízení 2K hmoty </H2>

<H2> Instalace kompletní SMT linky s FUJI AIMEXIII </H2>

<H2> Automatická optická inspekce - AOI </H2>

<H2> X-RAY počítáčka součástek od Techvalley </H2>

<H2> Další instalace úspěšného SAKI AOI na THT součástky! </H2>

<H2> Nové dvě osazovací Fuji linky NXT </H2>

<H2> Automatizace THT procesu - Fuji s FAB-D </H2>

<H2> INSTALACE 2X AIMEX IIIC na Pardubicku - Mikroelektronika </H2>

<H2> Kartušový systém pro dávkování 2K hmot </H2>

<H2> Myčka na šablony PBT Works </H2>

<H2> THT kontrola s AOI od SAKI </H2>

<H2> Rozšíření výrobních kapacit - Fuji 4x NXT III </H2>

<H2> Dávkovací 3-osý portál pro integraci </H2>

<H2> Dávkování 2K hmot </H2>

<H2> 3D AOI od SAKI v Brně </H2>

<H2> Dopravníky NUTEK k nové SMT lince </H2>

<H2> 5 zařízení SAKI do Lanškrouna </H2>

<H2> Dávkovací systém pro integraci </H2>

<H2> RACOM má nové 3D AOI od firmy SAKI </H2>

<H2> V ILV mají nové 3D SPI od výrobce SAKI </H2>

<H2> Prodej první rentgenové počítačky součástek HAWKEYE1000 </H2>

<H2> Instalace SAKI -> AOI, SPI </H2>

<H2> 3Di-LS2 i s bočními kamerami </H2>

<H2> Dávkovací systém pro integraci do výrobní linky </H2>

<H2> Spolupracující robot UR10 </H2>

<H2> 3D AOI od SAKI </H2>

<H2> Spolupracující robot UR5e </H2>

<H2> Dávkovací stanice určené k integraci </H2>

<H2> Lakování s FCD1000 Coating master </H2>

<H2> Universal Robots UR10 CB </H2>

<H2> Vibrační podavače Asyril Asycube 530 </H2>

<H2> Dávkovací aplikace 2K hmoty pod vakuem </H2>

<H2> Dopravníky k pájecí lince </H2>

<H2> Osazovací automaty Fuji NXT III v Ráječku </H2>

<H2> CAB magazíny a dělička Maestro 2M </H2>

<H2> Selektivní lakování s FCD1000 Coating master </H2>

<H2> Automatická pájecí jednotka OMEGA od Apollo Seiko </H2>

<H2> Lasermarker od firmy Nutek - typ LMC-S3 </H2>

<H2> 3D AOI - typ 3Di-LS2 </H2>

<H2> Dávkovací linka pro FIPG aplikaci </H2>

<H2> Dopravníky Nutek k lakovací lince </H2>

<H2> Třetí zařízení SAKI 3D AOI u jednoho zákazníka </H2>

<H2> Scheugenpflug technologie pro integraci </H2>

<H2> Dávkovací technologie MUSASHI </H2>

<H2> Laser marker Nutek v Liberci </H2>

<H2> Sušící kabinety Totech na Šumavu </H2>

<H2> Linkové dopravníky Nutek </H2>

<H2> Dataloger KIC SPS </H2>

<H2> Automatizace skladu s MIR1000 </H2>

<H2> Instalace reflow pece Vitronics Soltec Centurion CT820 v Žilinském kraji </H2>

<H2> Svařování s UR10e </H2>

<H2> Dávkovací zařízení Scheugenpflug </H2>

<H2> Nová SMT linka v Olomouckém kraji </H2>

<H2> Spolupracující roboty UR5 a gripper Schunk </H2>

<H2> UR10 v Olomouci </H2>

<H2> Totech MSD kabinety </H2>

<H2> Rozšíření kapacity osazování s FUJI </H2>

<H2> Selektivní pájení od Pillarhouse </H2>

<H2> Odsávání zplodin z laserového značení </H2>

<H2> Pájení s Pillarhouse </H2>

<H2> Dvě zařízení pro selektivní lakování DPS </H2>

<H2> MIR250 a efektivita zásobování výroby </H2>

<H2> Nové Nuteky do SMT linky </H2>

<H2> Scheugenpflug dávkovací technologie pro Automotive </H2>

<H2> Nové 3D AOI </H2>

<H2> Scheugenpflug technologie v Jihočeském kraji </H2>

<H2> 12 robotů UR10 do Olomouce </H2>

<H2> Pájecí roboty Apollo Seiko </H2>

<H2> SAKI 3Di-LS2 - precizní optická inspekce </H2>

<H2> SAKI, typ 3Di-LS2 v Plzeňském kraji </H2>

<H2> 3D inspekce do Zlínského kraje </H2>

<H2> Instalace 3D tiskárny DPS - Technická univerzita Liberec </H2>

<H2> EBSO E 200 - Stříhání a formování radiálních komponent </H2>

<H2> Selektivní lakování DPS s Musashi FCD1000 </H2>

<H2> SPI SAKI - eliminace chyb po tisku pájecí pasty </H2>

<H2> Dopravníky NUTEK na míru </H2>

<H2> Instalace FUJI linky u Robertshaw SK </H2>

<H2> Inline dávkování pod vakuem VDS + zásobník na 2K hmotu A310 </H2>

<H2> Purex 400i - digitální odsávání </H2>

<H2> 2x SMT linka na Slovensku </H2>

<H2> NUTEK dopravníky k PCB lakovací lince </H2>

<H2> Universal Robots UR5 v Rožnově pod Radhoštěm </H2>

<H2> MiR200 s MiRHook200 </H2>

<H2> Selektivní lakování DPS s FCD1000 Musashi </H2>

<H2> Myčka Mini Swash PBT Works na Slovensku </H2>

<H2> MPM Momentum na Slovensku </H2>

<H2> NUTEK handling do SMT linky </H2>

<H2> Svářecí sestava s UR10 v Pardubickém kraji </H2>

<H2> Mezioperační dopravníky MK kitz ZRF-P 2010 </H2>

<H2> Historicky první instalace MiR1000 v ČR </H2>

<H2> Dopravníky NUTEK k ICT testerům </H2>

<H2> Vibrační podavač Asycube240 </H2>

<H2> 3D inspekce DPS se SAKI 3Di-LS2-L </H2>

<H2> 3D Automatická Optická Inspekce </H2>

<H2> Dopravníky NUTEK na Slovensku </H2>

<H2> 3D inspekce se SAKI 3Di </H2>

<H2> Integrace Universal Robots UR5 v Žilinském kraji </H2>

<H2> Scheugenpflug DosP se zásobníkem na kartuše A90-C </H2>

<H2> Integrace Universal Robots UR16e v Nitranském kraji </H2>

<H2> MiR200 pro převážení KLT boxů s MiR Fleet </H2>

<H2> Scheugenpflug DosP s materiálovým zásobníkem A310 </H2>

<H2> UR5e jako pick and place aplikace </H2>

<H2> UR5e v Olomouckém kraji </H2>

<H2> Scheugenpflug CNCCell včetně zásobníků materiálu A220 </H2>

<H2> Universal Robots, 2x UR5 + 3x UR10 </H2>

<H2> Pájecí robot Apollo Seiko J-Cat Comet </H2>

<H2> 5x FUJI NXT III a 2x AIMEX IIIC </H2>

<H2> Instalace automatického separátoru DPS </H2>

<H2> Fremach Morava, s.r.o. - odsávání z laserového značení PUREX 1500i </H2>

<H2> APRI s.r.o. - instalace MUSASHI Crossmaster XY portálu </H2>

<H2> SMTosazování s.r.o. - 3D AOI SAKI </H2>

<H2> Sušicí kabinet TOTECH XSD 1402 na Slovensku </H2>

<H2> Musashi FCD1000 Coating Master - selektivní lakování </H2>

<H2> Musashi FCD1000 Coating Master </H2>

<H2> Dopravník NUTEK za reflow pec </H2>

<H2> Instalace SAKI AOI a SPI ve firmě Wendell electronics, a.s. </H2>

<H2> Instalace 3D AOI od výrobce SAKI v ILV s.r.o. </H2>

<H2> AMTECH case MAGNETI MARELLI Universal Robots </H2>

<H2> MiR 200 - Autonomní mobilní robot (AGV) ve společnosti Visteon </H2>

<H2> Instalace Laser Marking systému v APAG Elektronik s.r.o. </H2>

<H2> AMTECH case IN-LINE Pillarhouse selective soldering </H2>

<H2> AMTECH case KDTEC SMT linka </H2>

<H2> AMTECH case STAMIT Universal robots </H2>

<H2> SMT technologie </H2>

<H2> Kolaborativní roboty </H2>

<H2> Dávkování materiálu </H2>

<H2> Novinky </H2>

<H2> AMTECH na vlně robotiky - Seminář Praha - 24.10.2024 </H2>

<H2> Pozvánka na přátelské setkání během MSV 2024 </H2>

<H2> Amtech podpořil Den letiště Letňany 2024 </H2>

<H2> Technologický seminář: Novinky v automatické optické inspekci DPS </H2>

<H2> Amtech podporuje Slovácké léto 2024 </H2>

<H2> Závod MTB Slovácko: Úžasná atmosféra a skvělé výkony! </H2>

<H2> AMTECH na SMTconnect 2024 </H2>

<H2> Poděkování - Sport Academy B2M </H2>

<H2> Veletrh Productronica 2023 </H2>

<H2> Ukončení distributorské spolupráce s Mobile Industrial Robots </H2>

<H2> DAZ 2023 </H2>

<H2> Ukončení distributorské spolupráce s Universal Robots </H2>

<H2> Technologický seminář Amtech 2023 </H2>

<H2> Asyrl workshop 13.6.2023 v Brně </H2>

<H2> Úspěšná série NXT osazovacích strojů od Fuji: Přes 115 000 modulů expedováno </H2>

<H2> Nadšení pro mladé talenty: Podpora fotbalových nadějí z FK Hodonín </H2>

<H2> Amtech slaví 30 let </H2>

<H2> Automatizovaná rozměrová kontrola dílů </H2>

<H2> Automatizace logistiky s AGILOX </H2>

<H2> Začínáme automatizaci procesů pomocí robotů SCARA – Panelová montážní robotická buňka – SW-BA </H2>

<H2> Cesta Royal Flush až na Eurocup </H2>

<H2> Co mám čekat od školení Universal Robots? </H2>

<H2> Nový kobot UR20 se zatížením až 20kg </H2>

<H2> Buchlovská olympiáda semkla celé městečko </H2>

<H2> Slovácký pohár aerobiku </H2>

<H2> Šroubovač Pavel – další hotové řešení – Robotika </H2>

<H2> Automation Talk od ROBOTIQ – inteligentní paletizace </H2>

<H2> Amtech na veletrhu Automatica 2022 </H2>

<H2> AMPER 2022 17.-20.5. </H2>

<H2> Vibrační dopravník Asycube 240 </H2>

<H2> Šroubovák pro spolupracující roboty od ROBOTIQ </H2>

<H2> Inspectis - nový katalog a termín dodávek 2021 </H2>

<H2> PF 2022 </H2>

<H2> Productronica 2021 16.-19.11. </H2>

<H2> Podpořili jsme mladé návrháře </H2>

<H2> Virtuální TechDay Scheugenpflug - 29. červen 2021 </H2>

<H2> Webinář SCHUNK - depanelizace </H2>

<H2> Rentgenová počítačka HAWKEYE1000 </H2>

<H2> Asyrl EYE+ online školení </H2>

<H2> Mimořádná akce KIC - teplotní profiloměry! </H2>

<H2> Radek Nekarda: v boji s COVID-19 pomůže náš dezinfekční robot </H2>

<H2> Webinář 3D tisk desek plošných spojů </H2>

<H2> Podporujeme projekt Zdravotní klaun </H2>

<H2> Viktor v časopisu ai magazine </H2>

<H2> ITW EAE vyhrává Vision Awards </H2>

<H2> Prima SVĚT 2020 - reportáž o robotech MiR a UR </H2>

<H2> Zrušení akce - AMTECH TECH DAYS 2020 </H2>

<H2> Servind a Amtech uzavřely memorandum o spolupráci v oblasti robotického broušení </H2>

<H2> Robot opět startoval závod MTB Maraton Amtech Juvacyklo Buchlovice 2020 </H2>

<H2> SKLADEM - osazovací automaty FUJI za atraktivní ceny </H2>

<H2> Robotika za časů koronaviru, aneb – kdy jindy, když ne teď </H2>

<H2> Tonda Svářeč - svařování robotem </H2>

<H2> Pickit kamery – řešení pro bin-picking </H2>

<H2> Webinář KIC - 24.6.2020 - teplotní profiloměry </H2>

<H2> Ocenění spolupráce s Universal Robots </H2>

<H2> HONZA ZAKLADAČ - robotická obsluha CNC </H2>

<H2> VIKTOR ČISTIČ - UV-C dezinfekce prostor </H2>

<H2> Školení Universal Robots </H2>

<H2> Stali jsme se exkluzivními zástupci pro Vitronics Soltec </H2>

<H2> Nový robot MiR250 - MOBILE INDUSTRIAL ROBOTS </H2>

<H2> MicroCare - čistící prostředky pro elektroprůmysl i jiné obory </H2>

<H2> AMTECH, spol. s r.o. - webináře Robotika </H2>

<H2> Oznámení firmy Amtech týkající se COVID-19 </H2>

<H2> Telekonferenční hovory </H2>

<H2> Připravujeme AMTECH TECH DAYS 2020 (9.-10.9.2020) </H2>

<H2> Koronavir (COVID-19) - preventivní opatření </H2>

<H2> AMPER 2020 (17.-20.3.2020) je zrušen. </H2>

<H2> Reportáž ČT o spolupracujících robotech </H2>

<H2> Pozvánka na seminář - robotika v oblasti sváření (27.2.2020) </H2>

<H2> LiquiPrep LP804 - nový zásobník na 1K a 2K hmoty </H2>

<H2> PF 2020 </H2>

<H2> Nová řada robota UR16e </H2>

<H2> iDnes.cz - Dánští mobilní roboti dobývají sklady po celém světě </H2>

<H2> Robotiq - nový "sanding kit" </H2>

<H2> Otevřeli jsme autorizované školicí centrum Universal Robots ! </H2>

<H2> Vyhrali jsme ZLATÝ AMPER 2019 ! </H2>

<H2> Dotykový snímač vytištěný na 3D tiskárně DragonFly </H2>

<H2> Case story - využití 3D tisku DPS v praxi </H2>

<H2> Kdy budeme tisknout DPS na 3D tiskárně? </H2>

<H2> Odběr novinek </H2>

<H3> SMT </H3>

<H3> Roboty </H3>

<H3> Dávkování </H3>

<H3> Automatizace </H3>

<H3> Společnost </H3>

<H3> Rychlý kontakt </H3>

<H3> Social </H3>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

zjistit 226 více 226 saki 34 instalace 30 nutek 27
fuji 25 amtech 23 universal 21 robots 17 zařízení 16
inspekce 14 linky 13 dávkovací 13 pájecí 12 dopravníky 12

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
zjistit	226	×	×	×
více	226	×	×	×
saki	34	×	×	✓
instalace	30	×	×	✓
nutek	27	×	×	✓
fuji	25	×	×	✓
amtech	23	✓	✓	✓
universal	21	×	×	✓
robots	17	×	×	✓
zařízení	16	×	×	✓
inspekce	14	×	×	✓
linky	13	×	×	✓
dávkovací	13	×	×	✓
pájecí	12	×	×	✓
dopravníky	12	×	×	✓

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.



Alt Attribute



We found 229 images on this web page
✖ 1 ALT attributes are empty or missing.

<https://secure.leadforensics.com/210729.png>

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.



Text/HTML Ratio



HTML to Text Ratio is: **10.82%**

Text content size 16762 bytes

Total HTML size 154878 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compression



Wow! It's GZIP Enabled.

✔ Your webpage is compressed from 151 KB to 21 KB (86.4 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 81.95.110.137 does not redirect to amtech.cz
  

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.
Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.
If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Good, all URLs look clean and friendly
  

Your site's URLs contain unnecessary elements that make them look complicated.
A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.
Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs
  

Great, you are not using ?underscores (these_are_underscores) in your URLs.
While Google treats hyphens as word separators, it does not for underscores.

✓ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.



Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✓ **XML Sitemap** Good, you have XML Sitemap file!



<http://amtech.cz/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✓ **Robots.txt** Good, you have Robots.txt file!



<http://amtech.cz/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.



Embedded Objects

Perfect, no embedded objects has been detected on this page



Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.



Iframe

Oh no, iframe content has been detected on this page



Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.



Domain Registration

Exactly how many years and months



Domain Age: 24 Years, 196 Days

Created Date: 5th-May-2000

Updated Date: 1st-Jan-1970

Expiry Date: 5th-May-2025

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.



Indexed Pages



Indexed pages in search engines

843 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Backlinks Counter



Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL



`http://amtech.cz`

Length: 6 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., `http://www.mysite.com/en/products`).



Favicon



Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page



Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



Page Size

151 KB (World Wide Web average is 320 Kb)



Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



Load Time

0.65 second(s)



Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.



Language

Good, you have declared your language
Declared Language: CZ



Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
amtech.com	Already Registered
amtech.net	Already Registered
amtech.org	Already Registered
amtech.biz	Already Registered
amtech.us	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
qmtech.cz	Available
wmtech.cz	Already Registered
zmtech.cz	Available
xmtech.cz	Available
antech.cz	Already Registered

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Email address has been found in plain text!

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Oh No! This page is not mobile-friendly.
Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Bad, embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View

⚙ ⚙ ⚙

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
45.138.107.48	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✓ Perfect, your website has few CSS files.
- ✗ Too bad, your website has too many JavaScript files.
- ✓ Perfect, your website doesn't use nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

We didn't detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.



Doc Type

Your Web Page doctype is HTML 5



The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.



W3C Validity

W3C not validated



W3C is a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.



Encoding

Great, language/character encoding is specified: UTF-8



Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook: 

 Twitter: 

 Instagram: 

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank



A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:



Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$60 USD



Just a estimated worth of your website based on Alexa Rank.

In-Page Links

We found a total of 270 links including both internal & external links of your site

[illegible]

No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
těchto podmínek	Internal Links	Dofollow
Automatické optické systémy & X-RAY	Internal Links	Dofollow
Optické systémy	Internal Links	Dofollow
Dispenzery a selektivní lakování	Internal Links	Dofollow
Dělení DPS	Internal Links	Dofollow
Dopravníky	Internal Links	Dofollow
Mycí zařízení	Internal Links	Dofollow
Osazovací automaty	Internal Links	Dofollow
Pájecí zařízení	Internal Links	Dofollow
Skladování součástek	Internal Links	Dofollow
Zásobníky na DPS	Internal Links	Dofollow
Značení DPS	Internal Links	Dofollow
Průmyslové pece	Internal Links	Dofollow
SMT sítotisky MPM	Internal Links	Dofollow
Teplotní profiloměry	Internal Links	Dofollow
3D tisk DPS	Internal Links	Dofollow
Odsávání zplodin	Internal Links	Dofollow
Diagnostické nástroje	Internal Links	Dofollow
Čistící chemie	Internal Links	Dofollow
Nezařazené	Internal Links	Dofollow
Blog	Internal Links	Dofollow
Novinky	Internal Links	Dofollow
Události	Internal Links	Dofollow
Služby	Internal Links	Dofollow
O nás	Internal Links	Dofollow
Partneři	Internal Links	Dofollow
Dotační projekty	Internal Links	Dofollow
Benefity	Internal Links	Dofollow

Prodej DEMO zařízení	Internal Links	Dofollow
+420 541 225 215	Internal Links	Dofollow
Cookies	Internal Links	Dofollow
Roboty	External Links	Dofollow
Dávkování	External Links	Dofollow
Automatizace	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
Intranet	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.