

Review of Eshop.destovka.eu

Generated on 2024-05-30

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary



Title Tag



Dešťovka.eu: Nádrže na dešťovou vodu, jímky a dotace | Česko

Length: 60 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description



Dotace až 50 %. Zvýhodněné ceny a slevy na nádrž na vodu, retenční nádrž, samonosné jímky, čerpadla, sběrače vody, filtrační šachty a zasakování.

Length: 145 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords



No Keywords

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

[Dešťovka.eu: Nádrže na dešťovou vodu, jímky a dotace | Česko
eshop.destovka.eu/](#)

Dotace až 50 %. Zvýhodněné ceny a slevy na nádrže na vodu, retenční nádrže, samonosné jímky, čerpadla, sběrače vody, filtrační šachty a zasakování.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

Headings
⚙⚙⚙

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
1	5	3	17	17	0

<H1> Dešťovka.eu: Nádrže na dešťovou vodu, jímky a dotace </H1>

<H2> Přihlášení k vašemu účtu </H2>

<H2> Podzemní výprodej – slevy až 14 % </H2>

<H2> 5 důvodů proč nakupovat nádrž na dešťovou vodu na Dešťovka.eu? </H2>

<H2> Poslední komentáře </H2>

<H2> Poslední hodnocení </H2>

<H3> Výpočet velikosti nádrže </H3>

<H3> B2B pro stavební firmy </H3>

<H3> Z blogu Dešťovka </H3>

<H4> Domovní jednotka WILO RAIN3-25 EM - set komplet </H4>

<H4> Filtrační koš k nádrži SWING </H4>

<H4> Podzemní nádrž na dešťovou vodu Atlantis 4,0 m3 - 4000l </H4>

<H4> Vodoměrná šachta 1200 x 1500 mm </H4>

<H4> Podzemní nádrž na dešťovou vodu Eco 5000 litrů </H4>

<H4> Sud na dešťovou vodu TOWER STONE 500 </H4>

<H4> Hladinoměr do nádrže - H520 </H4>

<H4> Podzemní nádrž na dešťovou vodu Atlantis 7 m3 - 7000l </H4>

<H4> Odebírat newsletter </H4>

<H4> Kontakt </H4>

<H4> Kontakty </H4>

<H4> Doporučujeme Podzemní nádrže </H4>

<H4> Podzemní nádrže </H4>

<H4> Zákaznický servis </H4>

<H4> Užitečné odkazy </H4>

<H4> Sledujte nás </H4>

<H4> Používáme cookies </H4>

<H5> Odpadní vody </H5>

<H5> Vsaň a drenáž </H5>

<H5> Předpověď počasí </H5>

<H5> Poradna Dešťovka.eu </H5>

<H5> B2B, Stavební firmy </H5>

<H5> Vracení zboží a reklamace </H5>
<H5> Hodnocení obchodu, recenze </H5>
<H5> Moje dešťovka </H5>
<H5> Poptávka </H5>
<H5> Časté dotazy </H5>
<H5> Kariéra </H5>
<H5> Obchodní podmínky </H5>
<H5> Podmínky ochrany osobních údajů </H5>
<H5> Kalkulačka nádrže </H5>
<H5> Dotace 50% z NZÚ </H5>
<H5> Boost by Pipdrive </H5>
<H5> Kontakty </H5>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

nádrže 19 vodu 19 nádrž 19 dešťovou 15 vody 12
 kč bez 12 podzemní 11 novinka 10 skladem 9 doručení 9
 dnů 9 nzú 7 praha 7 sady 6 sudy 6

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
nádrže	19	✓	✗	✓
vodu	19	✓	✓	✓
nádrž	19	✓	✓	✓
dešťovou	15	✓	✗	✓
vody	12	✗	✓	✓
kč bez	12	✗	✗	✗
podzemní	11	✗	✗	✓
novinka	10	✗	✗	✗
skladem	9	✗	✗	✗
doručení	9	✗	✗	✗
dnů	9	✗	✗	✗
nzú	7	✗	✗	✗
praha	7	✗	✗	✗
sady	6	✗	✗	✗
sudy	6	✗	✗	✗

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

Alt Attribute



We found 73 images on this web page
 12 ALT attributes are empty or missing.

https://cdn.myshoptet.com/prj/dist/master/cms/templates/frontend_templates/00/img/folder.svg
https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/obrazek_slider_eshop@2x.jpg
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/mastercard.png>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/visa.png>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/prevodem.jpg>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/googlepay.jpg>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/logo-apek.png>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/mastercard.png>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/visa.png>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/prevodem.jpg>
<https://cdn.myshoptet.com/usr/eshop.destovka.eu/user/documents/upload/sablona-nemazat/googlepay.jpg>
<https://www.facebook.com/tr?id=204440403484279&ev=PageView&noscript=1>

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).
Also, more information to help them understand images, which can help them to appear in Google Images search results.

Text/HTML Ratio



HTML to Text Ratio is: **5.9%**
Text content size 12089 bytes
Total HTML size 204777 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.

GZIP compression



Wow! It's GZIP Enabled.
 Your webpage is compressed from 200 KB to 34 KB (82.9 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.
It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 185.184.254.10 does not redirect to eshop.destovka.eu
  

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.
Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.
If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Good, all URLs look clean and friendly
  

Your site's URLs contain unnecessary elements that make them look complicated.
A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.
Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs
  

Great, you are not using ?underscores (these_are_underscores) in your URLs.
While Google treats hyphens as word separators, it does not for underscores.

✓ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.



Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✓ **XML Sitemap** Good, you have XML Sitemap file!



<http://eshop.destovka.eu/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✓ **Robots.txt** Good, you have Robots.txt file!



<http://eshop.destovka.eu/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.



Embedded Objects

Perfect, no embedded objects has been detected on this page



Embedded Objects such as Flash. It should only be used for specific enhancements.

Although Flash content often looks nicer, it cannot be properly indexed by search engines.

Avoid full Flash websites to maximize SEO.



Iframe

Perfect, no Iframe content has been detected on this page



Frames can cause problems on your web page because search engines will not crawl or index the content within them.

Avoid frames whenever possible and use a NoFrames tag if you must use them.



Domain Registration

Exactly how many years and months



Domain Age: Not Available

Created Date: Not Available

Updated Date: Not Available

Expiry Date: Not Available

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.

Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.



Indexed Pages



Indexed pages in search engines

3,040 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Backlinks Counter



Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

`http://eshop.destovka.eu`

Length: 5 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., `http://www.mysite.com/en/products`).



Favicon

 Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



Page Size

200 KB (World Wide Web average is 320 Kb)



Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



Load Time

0.15 second(s)



Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.



Language

Good, you have declared your language
Declared Language: Czech



Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
eshop.com	Already Registered
eshop.net	Already Registered
eshop.org	Already Registered
eshop.biz	Already Registered
eshop.us	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
wshop.eu	Already Registered
sshop.eu	Already Registered
dshop.eu	Already Registered
fshop.eu	Already Registered
rshop.eu	Already Registered

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Email address has been found in plain text!

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Oh No! This page is not mobile-friendly.
Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Perfect, no embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View

⚙ ⚙ ⚙

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP



Server IP	Server Location	Service Provider
185.184.254.11	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips



Tips for authoring fast-loading HTML pages:

-  Too bad, your website has too many CSS files.
-  Too bad, your website has too many JavaScript files.
-  Perfect, your website doesn't use nested tables.
-  Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics



Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.



Doc Type

Your Web Page doctype is HTML 5



The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.



W3C Validity

W3C not validated



W3C is a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.



Encoding

Great, language/character encoding is specified: UTF-8



Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  Destovka.eu

 Twitter:  Destovka

 Instagram:  Destovka.eu

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank



A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:



Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$60 USD



Just a estimated worth of your website based on Alexa Rank.



In-Page Links



We found a total of 183 links including both internal & external links of your site

Anchor	Type	Follow
Nová registrace	Internal Links	Nofollow
Zapomenuté heslo	Internal Links	Nofollow
Přihlásit se přes Google	Internal Links	Nofollow
Přihlásit se přes Seznam	Internal Links	Nofollow
Pokračovat do košíku	Internal Links	Nofollow
+420 214 214 722	Internal Links	Dofollow
Doprava a platba	Internal Links	Dofollow
Obchodní podmínky	Internal Links	Dofollow
Vrácení zboží a reklamace	Internal Links	Dofollow
Reklamační řád	Internal Links	Dofollow
Podmínky ochrany osobních údajů	Internal Links	Dofollow
Nákup na splátky s Cofidis	Internal Links	Dofollow
Velkoobchod	Internal Links	Dofollow
Kontakty	Internal Links	Dofollow
CZK	Internal Links	Nofollow
EUR	Internal Links	Nofollow
Přihlášení	Internal Links	Nofollow
No Anchor Text	Internal Links	Dofollow
PRODUKTY	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Sady - zalévání	Internal Links	Dofollow
Sady - zalévání a WC	Internal Links	Dofollow
Sady - bez čerpadel	Internal Links	Dofollow
Sady - vsakovací	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Samonosné k obsypu	Internal Links	Dofollow
Samonosné na desku	Internal Links	Dofollow
Betonové jímky	Internal Links	Dofollow
Nízké ploché nádrže	Internal Links	Dofollow
Retenční nádrže s akumulací	Internal Links	Dofollow
Velkoobjemové a požární nádrže	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Sudy na dešťovou vodu	Internal Links	Dofollow
Designové sudy a nádrže	Internal Links	Dofollow
Nadzemní nádrže klasické	Internal Links	Dofollow
Vaky na vodu	Internal Links	Dofollow
Nádrže AQUABANK	Internal Links	Dofollow
Nádrže GENAP	Internal Links	Dofollow
IBC kontejnery	Internal Links	Dofollow
Příslušenství nadzemní	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Čistění odpadních vod - trvale využívané	Internal Links	Dofollow
Čistění odpadních vod - rekreační objekty	Internal Links	Dofollow
Odpadní jímky, žumpy	Internal Links	Dofollow
Septiky komorové	Internal Links	Dofollow
Čerpací jímky a stanice	Internal Links	Dofollow

Přečištění šedých vod	Internal Links	Dofollow
Zemní filtry	Internal Links	Dofollow
Teplo odpadní vody	Internal Links	Dofollow
Příslušenství pro odpadní vody	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Nádrže na naftu	Internal Links	Dofollow
Nádrže na topný olej	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Vsakovací boxy	Internal Links	Dofollow
Vsakovací tunely	Internal Links	Dofollow
Vsakovací jímky	Internal Links	Dofollow
Drenáž	Internal Links	Dofollow
Vsakovací systém Rigofill	Internal Links	Dofollow
Drenážní systém - opti-drän	Internal Links	Dofollow
Fólie a textilie	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Filtrační šachty	Internal Links	Dofollow
Filtrační koše	Internal Links	Dofollow
Lapače splavenin, geigery	Internal Links	Dofollow
Sběrače dešťové vody	Internal Links	Dofollow
Filtry na vodu - vnitřní rozvody vody dešťové	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Revizní šachty Wavin	Internal Links	Dofollow
Vodoměrné šachty	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Jednotky pro WC a využití v domě	Internal Links	Dofollow
Čerpací sady	Internal Links	Dofollow
Čerpací automaty	Internal Links	Dofollow
Domácí vodárny	Internal Links	Dofollow
Ponorná čerpadla	Internal Links	Dofollow
Kalová čerpadla	Internal Links	Dofollow
Čerpadla do sudu	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Odvodnění, drenáže a meliorace	Internal Links	Dofollow
KG trubky	Internal Links	Dofollow
KG kolena, odbočky	Internal Links	Dofollow
KG ostatní	Internal Links	Dofollow
Spojky IN-SITU	Internal Links	Dofollow
Chráničky kabelů	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Závlaha	Internal Links	Dofollow
Květináče a truhlíky	Internal Links	Dofollow
Zelené střechy a stěny	Internal Links	Dofollow
Nádoby na odpad, popelnice	Internal Links	Dofollow
Kompostéry	Internal Links	Dofollow
Zahradní nábytek	Internal Links	Dofollow
Topidla, kamna a ohřivače	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
NZÚ - D.4 – Elektromobilita	Internal Links	Dofollow
NZÚ - D.2 - Zelená střecha	Internal Links	Dofollow
NZÚ - C.5 - Využití tepla z odpadní vody	Internal Links	Dofollow

NZÚ - C.4 – Větrání (VZT)	Internal Links	Dofollow
NZÚ - C.2 – Příprava teplé vody (SOLAR)	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Redukční ventily - tlak vody	Internal Links	Dofollow
Expanzní tlakové nádoby	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Nádoby na zimní posyp	Internal Links	Dofollow
Posypové vozíky	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
SLUŽBY	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Kalkulačka	Internal Links	Dofollow
Realizace na klíč	Internal Links	Dofollow
O nákupu	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Časté dotazy	Internal Links	Dofollow
Poptávka	Internal Links	Dofollow
Prohlédnout výprodej	Internal Links	Dofollow
Podrobněji	Internal Links	Dofollow
Novinka 4 450 Kč až -17 %	Internal Links	Dofollow
Možný osobní odběr Praha 4 45 890 Kč -5 %	Internal Links	Dofollow
Novinka Možný osobní odběr Praha 4 32 290 Kč -13 %	Internal Links	Dofollow
Novinka Možný osobní odběr Praha 4 58 490 Kč -10 %	Internal Links	Dofollow
Novinka 75 790 Kč -12 %	Internal Links	Dofollow
Novinka Možný osobní odběr Praha 4	Internal Links	Dofollow
Novinka Možný osobní odběr Praha 4 36 490 Kč -6 %	Internal Links	Dofollow
Novinka ZDARMA ZDARMA od 139 150 Kč -0 %	Internal Links	Dofollow
2000 mm	Internal Links	Dofollow
3000 mm	Internal Links	Dofollow
4000 mm	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Novinka Možný osobní odběr Praha 4 12 290 Kč -6 %	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
Vsakování	Internal Links	Dofollow
Sudy a zásobníky	Internal Links	Dofollow

Dotace dešťovka	Internal Links	Dofollow
Moje Dešťovka	Internal Links	Dofollow
Mám zájem	Internal Links	Dofollow
MM Domovní jednotka WILO RAIN3-25 EM - set komplet Michal Mlnářik 2.1.2025 Recenze Dobrý den, bohužel musím vyjádřit velkou nespokojenost se servisem Wilo i se způsobem komunikace vašeho webu. S jednotkou mám problémy už téměř rok a řešení stále není. Jednotka při přepínání mezi nádrží a řádem padá do nouzového režimu, trojcestný ventil při přepínání píská. Z Wilo mi volali, že se zastaví a stále nic. Reklamací se snažím u vás urgovat už více než měsíc a žádná reakce. A to máte ze zákona na řešení reklamace 30 dnů. Asi mi nezbývá nic jiného než ČOI. Dost drahá špatná zkušenost... Michal	Internal Links	Dofollow
JV Filtrační koš k nádrži SWING Jiří Vosátka 29.10.2024 Uchycení Dobry den, můžete mi prosim vysvětlit ,jak se koš uchyťí? Děkuji	Internal Links	Dofollow
AK Podzemní nádrž na dešťovou vodu Atlantis 4,0 m3 - 4000l Andrea Kabátová 19.9.2024 Podzemní nádrž na dešťovou vodu Atlantis 4,0 m3 - 4000l Dobrý den, mám dotaz, je i tato nádrž vhodná do míst s výskytem spodní vody jako je tomu u nádrže Podzemní nádrž na dešťovou vodu Atlantis 2,2 m3 - 2200l? U nádrže 2,2 m3 je to ve vlastnostech napsáno, ale u 4 m3 to v popisu není. Děkuji za odpověď.	Internal Links	Dofollow
JK Vodoměrná šachta 1200 x 1500 mm Jaroslav Kohák 6.8.2024 připojení potrubí Na fotkách a v popisu je vidět 1x šroubení. Nejsem odborník, ale logicky potřebuji 1x vstup z centrálního vodovodu a 1x výstup k domu. Jak to s připojovacími body tedy je? Děkuji	Internal Links	Dofollow
Podzemní nádrž na dešťovou vodu Eco 5000 litrů 3.1.2025	Internal Links	Dofollow
Sud na dešťovou vodu TOWER STONE 500 1.1.2025	Internal Links	Dofollow
Hladinoměr do nádrže - H520 22.12.2024	Internal Links	Dofollow
Podzemní nádrž na dešťovou vodu Atlantis 7 m3 - 7000l 27.11.2024	Internal Links	Dofollow
Podmínkami ochrany osobních údajů (GDPR)	Internal Links	Dofollow
Podzemní nádrže	Internal Links	Dofollow
Odpadní vody	Internal Links	Dofollow
Předpověď počasí	Internal Links	Dofollow
Poradna Dešťovka.eu	Internal Links	Dofollow
Poptávka	Internal Links	Dofollow
Časté dotazy	Internal Links	Dofollow
Kariéra	Internal Links	Dofollow
Kontakty	Internal Links	Dofollow
Více článků a návodů	Internal Links	Dofollow
Jak povolit JavaScript ve vašem prohlížeči	External Links	Dofollow
Sledujte nás na FB	External Links	Dofollow
destovka_eu	External Links	Dofollow
destovka.eu	External Links	Dofollow
Boost by Pipdrive	External Links	Dofollow
No Anchor Text	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



Broken links were found on this web page

<http://eshop.destovka.eu/action/Social/login/?provider=Google>

<http://eshop.destovka.eu/action/Social/login/?provider=Seznam>

<https://www.google.com/support/bin/answer.py?answer=23852>

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.