

Review of Ledprodukt.cz

Generated on 2026-03-30

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary

✔ **Title Tag** LED pásky, profily a svítidla e-shop | LEDprodukt.cz
⚙️⚙️⚙️
Length: 52 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.

✔ **Meta Description** Špičkový výběr LED pásků, hliníkových profilů a svítidel. Osvětlení pro každou místnost. Objednejte kvalitní LED produkty online s rychlým dodáním.
⚙️⚙️⚙️
Length: 147 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.

⊙ **Meta Keywords** No Keywords
⚙️⚙️⚙️

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

Google Preview

[LED pásky, profily a svítidla e-shop | LEDprodukt.cz](#)
[ledprodukt.cz/](#)

Špičkový výběr LED páseků, hliníkových profilů a svítidel. Osvětlení pro každou místnost. Objednejte kvalitní LED produkty online s rychlým dodáním.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

Headings

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
1	5	9	4	0	0

```
<H1> LED osvětlení </H1>
<H2> Přihlášení k vašemu účtu </H2>
<H2> Postranní panel </H2>
<H2> Poslední hodnocení </H2>
<H2> </H2>
<H2> Zápatí </H2>
<H3> Kategorie </H3>
<H3> LED osvětlení – moderní řešení pro domov i komerční prostory </H3>
<H3> Proč LED osvětlení od LEDprodukt.cz? </H3>
<H3> Spojte se s námi – kvalitní LED osvětlení a profesionální podpora </H3>
<H3> Informace pro vás </H3>
<H3> Odebírat newsletter </H3>
<H3> Přijímáme online platby </H3>
<H3> Kontakt </H3>
<H3> Instagram </H3>
<H4> Koncovky LED lišta - ROHOVÁ (2ks) </H4>
<H4> LED napájecí zdroj 102W, 12V montážní MEAN-WELL </H4>
<H4> LED ovladač RF12 glass otočný </H4>
<H4> LED pásek 60LED/m SMD2835 4,8W/m neutrální bílá IP20 12V </H4>
```

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

kč bez 36 skladem 35 košíku 31 neutrální 24 solární 20
 wellmax 19 pásy 16 panel 16 osvětlení 13 profi 12
 svítidlo 12 záruka 11 profily 11 pásek 11 bílá 11

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
kč bez	36	✗	✗	✗
skladem	35	✗	✗	✗
košíku	31	✗	✗	✗
neutrální	24	✗	✗	✓
solární	20	✗	✗	✗
wellmax	19	✗	✗	✗
pásy	16	✗	✗	✗
panel	16	✗	✗	✓
osvětlení	13	✗	✓	✓
profi	12	✓	✓	✗
svítidlo	12	✗	✗	✗
záruka	11	✗	✗	✗
profily	11	✓	✗	✗
pásek	11	✗	✗	✓
bílá	11	✗	✗	✓

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

✔ **Alt Attribute**
⚙️⚙️⚙️

We found 56 images on this web page
✔ No ALT attributes are empty or missing.

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).
Also, more information to help them understand images, which can help them to appear in Google Images search results.

! **Text/HTML Ratio**
⚙️⚙️⚙️

HTML to Text Ratio is: **4.08%**
Text content size 11129 bytes
Total HTML size 272803 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.
A higher code to text ratio will increase your chances of getting a better rank in search engine results.

✔ **GZIP compression**
⚙️⚙️⚙️

Wow! It's GZIP Enabled.
✔ Your webpage is compressed from 266 KB to 30 KB (88.7 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.
It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 185.184.254.11 does not redirect to ledprodukt.cz


To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Good, all URLs look clean and friendly


Your site's URLs contain unnecessary elements that make them look complicated. A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords. Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs


Great, you are not using ?underscores (these_are_underscores) in your URLs. While Google treats hyphens as word separators, it does not for underscores.

✔ **WWW Resolve**  Great, a redirect is in place to redirect traffic from your non-preferred domain.

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✔ **XML Sitemap**  Good, you have XML Sitemap file!
<http://ledprodukt.cz/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✔ **Robots.txt**  Good, you have Robots.txt file!
<http://ledprodukt.cz/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.

 **Embedded Objects** Perfect, no embedded objects has been detected on this page


Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.

 **Iframe** Oh no, iframe content has been detected on this page


Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.

 **Domain Registration** Exactly how many years and months


Domain Age: 56 Years, 88 Days

Created Date: 1st-Jan-1970

Updated Date: 3rd-Jun-2025

Expiry Date: 1st-Jan-1970

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.

 **Indexed Pages**


Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.

 **Backlinks Counter**


Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

http://ledprodukt.cz
Length: 10 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Favicon

 Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.

✔ **Page Size**
⚙️⚙️⚙️

266 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.

✔ **Load Time**
⚙️⚙️⚙️

0.25 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.

✔ **Language**
⚙️⚙️⚙️

Good, you have declared your language
Declared Language: Czech

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
ledprodukt.com	Already Registered
ledprodukt.net	Available
ledprodukt.org	Already Registered
ledprodukt.biz	Already Registered
ledprodukt.us	Available

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
pedprodukt.cz	Available
oedprodukt.cz	Available
iedprodukt.cz	Available
kedprodukt.cz	Available
medprodukt.cz	Available

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy

Email address has been found in plain text!



We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing

The website is not blacklisted and looks safe to use.



Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Oh No! This page is not mobile-friendly.
Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Bad, embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.
But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View



The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP



Server IP	Server Location	Service Provider
185.184.254.10	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips



Tips for authoring fast-loading HTML pages:

- ✘ Too bad, your website has too many CSS files.
- ✘ Too bad, your website has too many JavaScript files.
- ✔ Perfect, your website doesn't use nested tables.
- ✘ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics



Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.

 **Doc Type**


Your Web Page doctype is HTML 5

The Doctype is used to instruct web browsers about the document type being used.
For example, what version of HTML the page is written in.
Declaring a doctype helps web browsers to render content correctly.

 **W3C Validity**


W3C not validated

W3C is a consortium that sets web standards.
Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.
Run the W3C validation service whenever changes are made to your website's code.

 **Encoding**


Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook: 

 Twitter: 

 Instagram:  LEDproduktcz

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank



A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:



Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$60 USD



Just a estimated worth of your website based on Alexa Rank.

In-Page Links

We found a total of 188 links including both internal & external links of your site

Anchor	Type	Follow
Více informací	Internal Links	Dofollow
Nová registrace	Internal Links	Nofollow
Zapomenuté heslo	Internal Links	Nofollow
Pokračovat do košíku	Internal Links	Nofollow
+420606898167	Internal Links	Dofollow
Kontakty	Internal Links	Dofollow
Obchodní podmínky	Internal Links	Dofollow
Reklamační řád	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Galerie	Internal Links	Dofollow
Katalogy	Internal Links	Dofollow
Videa	Internal Links	Dofollow
Články	Internal Links	Dofollow
FAQ	Internal Links	Dofollow
Velkoobchod	Internal Links	Dofollow
LED produkty ve slevě	Internal Links	Dofollow
Novinky	Internal Links	Dofollow
SAMSUNG LED	Internal Links	Dofollow
LED solární osvětlení	Internal Links	Dofollow
LED žárovky	Internal Links	Dofollow
GU10 - bodovky	Internal Links	Dofollow
E27	Internal Links	Dofollow
E27 stmívatelné	Internal Links	Dofollow
E14	Internal Links	Dofollow
MR16	Internal Links	Dofollow
G9	Internal Links	Dofollow
Redukce	Internal Links	Dofollow
LED žárovky DUAL-WHITE	Internal Links	Dofollow
LED žárovky RGB-W	Internal Links	Dofollow
LED žárovky DUAL-WHITE+RGB	Internal Links	Dofollow
LED pásy - záruka 5 let	Internal Links	Dofollow
LED pásy s proudovým driverem	Internal Links	Dofollow
LED pásy - vysocesvítivé	Internal Links	Dofollow
LED pásy 5m	Internal Links	Dofollow
Bílé	Internal Links	Dofollow
RGB	Internal Links	Dofollow
RGB-W	Internal Links	Dofollow
PROFI	Internal Links	Dofollow
Dual White	Internal Links	Dofollow
Barevné	Internal Links	Dofollow
COB	Internal Links	Dofollow
Vysocesvítivé	Internal Links	Dofollow
SMD1808 CRI 97+	Internal Links	Dofollow
DIGITÁLNÍ	Internal Links	Dofollow
Neon FLEX	Internal Links	Dofollow
LED pásy metráž	Internal Links	Dofollow
Vysocesvítivé	Internal Links	Dofollow

Bílé	Internal Links	Dofollow
RGB	Internal Links	Dofollow
RGB-W	Internal Links	Dofollow
PROFI	Internal Links	Dofollow
Dual White	Internal Links	Dofollow
Barevné	Internal Links	Dofollow
COB	Internal Links	Dofollow
SMD1808 CRI 97+	Internal Links	Dofollow
Pro Gastro	Internal Links	Dofollow
Kompletní sady	Internal Links	Dofollow
RGB	Internal Links	Dofollow
Bílé	Internal Links	Dofollow
Barevné	Internal Links	Dofollow
DUAL-WHITE	Internal Links	Dofollow
RGB-W	Internal Links	Dofollow
PROFI	Internal Links	Dofollow
Proudový driver	Internal Links	Dofollow
LED ovladače	Internal Links	Dofollow
Pro RGB LED pásy	Internal Links	Dofollow
Pro jednobarevné LED pásy	Internal Links	Dofollow
Dual White	Internal Links	Dofollow
Pro RGB-W LED pásy	Internal Links	Dofollow
Triakové ovladače	Internal Links	Dofollow
Pro RGB + DUAL WHITE LED pásy	Internal Links	Dofollow
LED stmívání 0/1-10V	Internal Links	Dofollow
Smart Home	Internal Links	Dofollow
Digitální	Internal Links	Dofollow
Schodišťové ovladače	Internal Links	Dofollow
LED napájecí zdroje	Internal Links	Dofollow
Adaptéry	Internal Links	Dofollow
Montážní	Internal Links	Dofollow
Voděodolné	Internal Links	Dofollow
Nábytkové	Internal Links	Dofollow
Na DIN lištu	Internal Links	Dofollow
MEAN WELL	Internal Links	Dofollow
MLED IP67	Internal Links	Dofollow
Do krabice	Internal Links	Dofollow
Stmívatelné	Internal Links	Dofollow
Pro LED panely	Internal Links	Dofollow
LED lišty, profily	Internal Links	Dofollow
Profily do SDK	Internal Links	Dofollow
Povrchové profily	Internal Links	Dofollow
Rohové profily	Internal Links	Dofollow
Zapuštěné profily	Internal Links	Dofollow
Ohebné profily	Internal Links	Dofollow
Podlahové profily	Internal Links	Dofollow
Schodové profily	Internal Links	Dofollow
Speciální profily	Internal Links	Dofollow
Krytky	Internal Links	Dofollow
Příslušenství	Internal Links	Dofollow
Spojky, konektory, vodiče	Internal Links	Dofollow
Pro jednobarevné LED pásy	Internal Links	Dofollow
Pro RGB LED pásy	Internal Links	Dofollow

Pro RGBW LED pásy	Internal Links	Dofollow
Pro COB LED pásy	Internal Links	Dofollow
Dvojlinky, vodiče	Internal Links	Dofollow
Konektory	Internal Links	Dofollow
Flexo šňůry	Internal Links	Dofollow
Oboustranné lepicí pásy	Internal Links	Dofollow
LED reflektory	Internal Links	Dofollow
LED panely	Internal Links	Dofollow
Velké LED panely	Internal Links	Dofollow
Malé LED panely	Internal Links	Dofollow
Stmívatelné LED panely	Internal Links	Dofollow
RGB + Dual White panely	Internal Links	Dofollow
LED prachotěsná svítidla	Internal Links	Dofollow
LED stropní svítidla	Internal Links	Dofollow
LED moduly	Internal Links	Dofollow
LED pouliční svítidla	Internal Links	Dofollow
LED průmyslová svítidla	Internal Links	Dofollow
LED osvětlení DUAL-WHITE	Internal Links	Dofollow
LED moduly do stropních svítidel	Internal Links	Dofollow
Podhledová svítidla - rámký	Internal Links	Dofollow
Pohybové senzory 230V	Internal Links	Dofollow
LED neon nápisy a loga	Internal Links	Dofollow
Svatební	Internal Links	Dofollow
Dětské	Internal Links	Dofollow
Film a Hudba	Internal Links	Dofollow
Provozovny a podniky	Internal Links	Dofollow
Přihlášení	Internal Links	Nofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
Záruka 3 roky	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Tip	Internal Links	Dofollow
Tip	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
Novinka	Internal Links	Dofollow

Novinka	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
Novinka	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Koncovky LED lišta - ROHOVÁ (2ks) 16.11.2023	Internal Links	Dofollow
LED napájecí zdroj 102W, 12V montážní MEAN-WELL 1.11.2023 V pořádku, funguje.	Internal Links	Dofollow
LED ovladač RF12 glass otočný 12.7.2023 Je super.	Internal Links	Dofollow
LED pásek 60LED/m SMD2835 4,8W/m neutrální bílá IP20 12V 12.7.2023 Je super. Doporučuji. Společnost.	Internal Links	Dofollow
LEDproduktcz	External Links	Dofollow
https://www.youtube.com/user/LEDprodukt	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
Sledovat na Instagramu	External Links	Dofollow
No Anchor Text	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.