

Review of Tvstav.cz

Generated on 2023-12-18

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary



Title Tag



Tvstav.cz - stavební portál

Length: 27 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description



Stavební videopostupy a reference z oblasti výstavby domů, silnic, železnic a nových bytů

Length: 89 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords



stavební stroje, beton, cihly, tvárnice, střešní tašky, jakou koupelnu, nejlepší okna

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

Headings

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
0	8	104	17	0	0

<H2> Snižování nehodovosti na cestách v rizikových lokalitách díky systému DynaSmart VMS </H2>

<H2> FASTRA je českým lídrem v technologiích pro uzavírání médií v potrubích pod tlakem </H2>

<H2> Řešíte teplo pro svůj projekt? Zvažte plynové tepelné čerpadlo </H2>

<H2> Pasport stavby – nezbytný krok ke správě nemovitosti a splnění zákonné povinnosti </H2>

<H2> Projektční kancelář PRIS projektovala rekonstrukci mostu přes Blanici ve Vodňanech </H2>

<H2> Společnost Čermák a Hrachovec - značka spolehlivosti ve výstavbě vodohospodářských staveb </H2>

<H2> Goodyear rozšiřuje portfolio pneumatik pro lehká užitková vozidla </H2>

<H2> OSMA vyrábí kanalizační trubky a tvarovky s vysokou houževnatostí pro dopravní stavby </H2>

<H3> Nevšední obvodový plášť z lamel Prefa Siding X dominuje rodinnému domu v Náchodě </H3>

<H3> Nevšední obvodový plášť z lamel Prefa Siding X dominuje rodinnému domu v Náchodě </H3>

<H3> Rehau představila na výstavě Fensterbau nový okenní systém ARTEVO a řadu dalších novinek </H3>

<H3> Rehau představila na výstavě Fensterbau nový okenní systém ARTEVO a řadu dalších novinek </H3>

<H3> Jsme posedlí barvami, říká skandinávský trend expert, který vystoupí na DESIGN SHAKER </H3>

<H3> Jsme posedlí barvami, říká skandinávský trend expert, který vystoupí na DESIGN SHAKER </H3>

<H3> Obvodovému plášti sportovní haly v Dolních Břežanech dodal punc originality šindel Prefa </H3>

<H3> Obvodovému plášti sportovní haly v Dolních Břežanech dodal punc originality šindel Prefa </H3>

<H3> Obchodní galerie Smetanova ve Vsetíně si oblékla originální obvodový plášť </H3>

<H3> Obchodní galerie Smetanova ve Vsetíně si oblékla originální obvodový plášť </H3>

<H3> Výstavba rodinného domu v Praze nemusí být snem. SATPO nabízí stavební pozemky </H3>

<H3> Výstavba rodinného domu v Praze nemusí být snem. SATPO nabízí stavební pozemky </H3>

<H3> Stavebnictví i přes pokles na počátku roku očekává v druhém pololetí oživení </H3>

<H3> Stavebnictví i přes pokles na počátku roku očekává v druhém pololetí oživení </H3>

<H3> Lexus Norton nabízí k prodeji útulný prostorný byt 1+kk s výtahem </H3>

<H3> Lexus Norton nabízí k prodeji útulný prostorný byt 1+kk s výtahem </H3>

<H3> Začíná výstavba etapy Smíchov City Jih. Její dominantou bude centrála České spořitelny </H3>

<H3> Začíná výstavba etapy Smíchov City Jih. Její dominantou bude centrála České spořitelny </H3>

<H3> SATPO zkolauovalo dva rezidenční projekty na Praze 5 </H3>

<H3> SATPO zkolauovalo dva rezidenční projekty na Praze 5 </H3>

<H3> Prefabrikovaná instalační šachta REHAU šetří montážní čas a prostor </H3>

<H3> Prefabrikovaná instalační šachta REHAU šetří montážní čas a prostor </H3>

<H3> Panasonic představil environmentální vizi na 250 let i supervýkonná tepelná čerpadla ... </H3>

<H3> Panasonic představil environmentální vizi na 250 let i supervýkonná tepelná čerpadla ... </H3>

<H3> Hitachi představila na ISH 2023 nové hydrosplitové tepelné čerpadlo Yutaki H Combi </H3>

<H3> Hitachi představila na ISH 2023 nové hydrosplitové tepelné čerpadlo Yutaki H Combi </H3>

<H3> Klimatický modul Zehnder přiváděný vzduch dochlazuje, dohřívá i odvlhčuje! </H3>

<H3> Klimatický modul Zehnder přiváděný vzduch dochlazuje, dohřívá i odvlhčuje! </H3>

<H3> SCHLIEGER rozšiřuje portfolio A.I. READY o výkonný asymetrický střídač a designové ... </H3>

<H3> SCHLIEGER rozšiřuje portfolio A.I. READY o výkonný asymetrický střídač a designové ... </H3>

<H3> Koupelnové vybavení a obklady nové generace nabízí studio Elements v Karlových Varech </H3>

<H3> Koupelnové vybavení a obklady nové generace nabízí studio Elements v Karlových Varech </H3>

<H3> Sprchy na zimmím stadionu v Kuřimi šetří vodu a perfektně fungují díky armaturám Schell </H3>

<H3> Sprchy na zimmím stadionu v Kuřimi šetří vodu a perfektně fungují díky armaturám Schell </H3>

<H3> V rámci Zlín Design Weeku vrcholí ve studiu Elements výstava Identita </H3>

<H3> V rámci Zlín Design Weeku vrcholí ve studiu Elements výstava Identita </H3>

<H3> Obklady a koupelnové vybavení vybrala paní Tereza v koupelnovém studiu Elements </H3>

<H3> Obklady a koupelnové vybavení vybrala paní Tereza v koupelnovém studiu Elements </H3>

<H3> Řada oblíbených sanitárních armatur Schell Modus se rozšiřuje o nové výrobky </H3>

<H3> Řada oblíbených sanitárních armatur Schell Modus se rozšiřuje o nové výrobky </H3>

<H3> Bezmotorový odsavač + střešní ventilátor = tichá kuchyně bez hluku a zápachu </H3>

<H3> Bezmotorový odsavač + střešní ventilátor = tichá kuchyně bez hluku a zápachu </H3>

<H3> Metrostav dokončil pro Škodu Auto největší závodní kuchyni v ČR </H3>

<H3> Metrostav dokončil pro Škodu Auto největší závodní kuchyni v ČR </H3>

<H3> Systém RE.GUARD zabezpečí domácnost při haváriích a únicích vody i ve vaší nepřítomnosti </H3>

<H3> Systém RE.GUARD zabezpečí domácnost při haváriích a únicích vody i ve vaší nepřítomnosti </H3>

<H3> Dodavatel koupelnových baterií a sprch Hansgrohe CS Brno oslavilo 25 </H3>

<H3> Dodavatel koupelnových baterií a sprch Hansgrohe CS Brno oslavilo 25 </H3>

<H3> Trendem moderních kuchyní dneška jsou přírodní barvy a jednoduchý funkcionalistický design </H3>

<H3> Trendem moderních kuchyní dneška jsou přírodní barvy a jednoduchý funkcionalistický design </H3>

<H3> S použitím velkoformátových prvků na bázi dřeva lze stavět rychle, efektivně a udržitelně </H3>

<H3> S použitím velkoformátových prvků na bázi dřeva lze stavět rychle, efektivně a udržitelně </H3>

<H3> Foukaná tepelná izolace stále s lidskou inteligencí a zdravým selským rozumem </H3>

<H3> Foukaná tepelná izolace stále s lidskou inteligencí a zdravým selským rozumem </H3>

<H3> Designová dřevěná podlaha je řemeslné umění s pomocí výrobků Pallmann </H3>

<H3> Designová dřevěná podlaha je řemeslné umění s pomocí výrobků Pallmann </H3>

<H3> Pro výstavbu nízkoenergetických a pasivních domů představují cihly Heluz optimální řešení </H3>

<H3> Pro výstavbu nízkoenergetických a pasivních domů představují cihly Heluz optimální řešení </H3>

<H3> Nádraží Leisnig. Renovace střechy památkově chráněné budovy s puren® metalFix. </H3>

<H3> Nádraží Leisnig. Renovace střechy památkově chráněné budovy s puren® metalFix. </H3>

<H3> Energeticky aktivní dům na Plzeňsku předběhl dobu a dnes se dvojnásob vyplácí </H3>

<H3> Energeticky aktivní dům na Plzeňsku předběhl dobu a dnes se dvojnásob vyplácí </H3>

<H3> Dvorecký most po svém dokončení přispěje ke zrychlení tramvajové a autobusové dopravy </H3>

<H3> Dvorecký most po svém dokončení přispěje ke zrychlení tramvajové a autobusové dopravy </H3>

<H3> Stavbaři v Jihlavě dokázali, že průmyslová hala se dá založit i v „bažině“ </H3>

<H3> Stavbaři v Jihlavě dokázali, že průmyslová hala se dá založit i v „bažině“ </H3>

<H3> Pražským jezům se vrací historická krása. Po Staroměstském prochází rekonstrukcí ... </H3>

<H3> Pražským jezům se vrací historická krása. Po Staroměstském prochází rekonstrukcí ... </H3>

<H3> Pokrývačská a stavební společnost Stav Moravia slaví 30. výročí svého založení </H3>

<H3> Pokrývačská a stavební společnost Stav Moravia slaví 30. výročí svého založení </H3>

<H3> Střešní tašky Terran Danubia a Terran Synus si i loni udržely přízeň zákazníků </H3>

<H3> Střešní tašky Terran Danubia a Terran Synus si i loni udržely přízeň zákazníků </H3>

<H3> Přehřívá se vám podkroví a parné léto znepříjemňuje život v chatě či chalupě? </H3>

<H3> Přehřívá se vám podkroví a parné léto znepříjemňuje život v chatě či chalupě? </H3>

<H3> Svařování PVC hydroizolačních fólií přenechte odborným izolačským firmám - 2. část </H3>

<H3> Svařování PVC hydroizolačních fólií přenechte odborným izolačským firmám - 2. část </H3>

<H3> Nevšední šikmá střecha z hliníkových šindelů Prefa dominuje krásnému domu u Dvora Králové </H3>

<H3> Nevšední šikmá střecha z hliníkových šindelů Prefa dominuje krásnému domu u Dvora Králové </H3>

<H3> Sdružení výrobců pro ploché střechy připravuje semináře na téma plochých střech ... </H3>

<H3> Sdružení výrobců pro ploché střechy připravuje semináře na téma plochých střech ... </H3>

<H3> Střešní okna Tondach: Optimální řešení pro každé obytné podkroví </H3>

<H3> Střešní okna Tondach: Optimální řešení pro každé obytné podkroví </H3>

<H3> Systém MOREVIEW - inovativní panoramatické posuvné dveře se skrytým rámem </H3>

<H3> Systém MOREVIEW - inovativní panoramatické posuvné dveře se skrytým rámem </H3>

<H3> Nadčasová elegance a unikátní vzhled vstupních dveří společnosti VP trend </H3>

<H3> Nadčasová elegance a unikátní vzhled vstupních dveří společnosti VP trend </H3>

<H3> Rehau představila na výstavě Fensterbau nový okenní systém ARTEVO a řadu dalších novinek </H3>

<H3> Rehau představila na výstavě Fensterbau nový okenní systém ARTEVO a řadu dalších novinek </H3>

<H3> Společnost BECKER uvádí na trh nový inteligentní přijímač VC470 PLUS pro venkovní žaluzie </H3>

<H3> Společnost BECKER uvádí na trh nový inteligentní přijímač VC470 PLUS pro venkovní žaluzie </H3>

<H3> Duben je tady a s ním nadchází čas jarní údržby zahrad </H3>

<H3> Duben je tady a s ním nadchází čas jarní údržby zahrad </H3>

<H3> Podívejte se na průběh montáže protidešťové hliníkové pergoly </H3>

<H3> Podívejte se na průběh montáže protidešťové hliníkové pergoly </H3>

<H3> Jak vytvořit ochranný nátěr betonového povrchu základu terasy? Podívejte se! </H3>

<H3> Jak vytvořit ochranný nátěr betonového povrchu základu terasy? Podívejte se! </H3>

<H3> Realizace kryté terasy z WPC lamel (dřevoplastu) na nosný podkladní rošt </H3>

<H3> Realizace kryté terasy z WPC lamel (dřevoplastu) na nosný podkladní rošt </H3>

<H3> Jak správně vybrat a vysadit živý plot </H3>

<H3> Jak správně vybrat a vysadit živý plot </H3>

<H3> Vyhledávač stavebních pojmů </H3>

<H3> Nejčtenější články za poslední měsíc </H3>

<H3> Získejte aktuální informace </H3>

<H3> Sledujte nás na sociálních sítích </H3>

<H4> Architektura partner </H4>

<H4> Developeři </H4>

<H4> Instalace partner </H4>

<H4> Koupelna partner </H4>

<H4> Kuchyně </H4>

<H4> Materiál partner </H4>

<H4> Realizace staveb partner </H4>

<H4> Střechy partner </H4>

<H4> Výplně otvorů partner </H4>

<H4> Zahradní </H4>

<H4> fischer DualFix - certifikovaný a patentovaný kotevní systém zdvojených zateplených fasád </H4>

<H4> Zvýšený zájem o plynové kondenzační kotle Brötje potvrzuje, že stavitelé chtějí topit... </H4>

<H4> Dvorecký most po svém dokončení přispěje ke zrychlení tramvajové a autobusové dopravy </H4>

<H4> Přehřívá se vám podkroví a parné léto znepříjemňuje život v chatě či chalupě? </H4>

<H4> Novinka: YAWAL – TM 77N nová generace oken. Lepší systém za lepší cenu </H4>

<H4> Naším cílem je, aby činnost projektových firem naší skupiny byla na technologickém vrcholu </H4>

<H4> Odborný velkoobchod Gienger radí, jak dům vytápět a chladit s nejnižšími náklady </H4>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

společnost 10 střešní 9 domu 8 rehau 8 představila 8
 stavební 7 dům 7 výstavě 7 nový 7 nové 7
 vybavení 7 jsou 7 prefra 6 fensterbau 6 řadu 6

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
společnost	10	×	×	✓
střešní	9	×	×	✓
domu	8	×	×	✓
rehau	8	×	×	✓
představila	8	×	×	✓
stavební	7	✓	✓	✓
dům	7	×	×	✓
výstavě	7	×	×	✓
nový	7	×	✓	✓
nové	7	×	×	✓
vybavení	7	×	×	✓
jsou	7	×	×	✓
prefra	6	×	×	✓
fensterbau	6	×	×	✓
řadu	6	×	×	✓

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

We found 85 images on this web page
 58 ALT attributes are empty or missing.

/user/public/images/stavebni_noviny_logo.svg
/user/data/modul-images/25406-video-img-4375a.jpg
/user/data/modul-images/28749-video-untitled-6-1-1.jpg
/user/data/modul-images/28712-video-stefan.jpg
/user/data/modul-images/17702-video-image1.jpg
/user/data/modul-images/29789-video-ruukki-tvstav.jpg
/user/data/modul-images/29116-video-1.jpg
/user/data/modul-images/28713-video-01.jpg
/user/data/modul-images/28687-video-03.jpg
/user/data/modul-images/29132-video-09.jpg
/user/data/modul-images/26961-video-satpo.jpg
/user/data/modul-images/26639-video-tvstav.jpg
/user/data/modul-images/28665-video-1.jpg
/user/data/modul-images/26775-video-tvstav.jpg
/user/data/modul-images/27414-video-1.jpg
/user/data/modul-images/27715-video-0.jpg
/user/data/modul-images/18712-video-image27.jpg
/user/data/modul-images/23978-video-image1.jpg
/user/data/modul-images/28954-video-untitled-1-11-1.jpg
/user/data/modul-images/21295-video-img-5048a.jpg
/user/data/modul-images/26810-video-schell-1.jpg
/user/data/modul-images/28574-video-02.jpg
/user/data/modul-images/23208-video-metrostav1.jpg
/user/data/modul-images/22887-video-rehau1.jpg
/user/data/modul-images/22608-video-04-hansgrohe1.jpg
/user/data/modul-images/20779-video-a-06.jpg
/user/data/modul-images/28794-video-roofroots06.jpg
/user/data/modul-images/28552-video-ciur-20230323-110753.jpg
/user/data/modul-images/29235-video-11.jpg
/user/data/modul-images/25823-video-1.jpg
/user/data/modul-images/28812-video-puren02.jpg
/user/data/modul-images/26053-video-image3.jpg
/user/data/modul-images/29648-video-metrostav-02.jpg
/user/data/modul-images/28934-video-05.jpg
/user/data/modul-images/27410-video-3.jpg
/user/data/modul-images/26556-video-stav-moravia-1.jpg
/user/data/modul-images/29336-video-1.jpg
/user/data/modul-images/29503-video-ciur-2.jpg
/user/data/modul-images/26658-video-1.jpg
/user/data/modul-images/29587-video-img-6332-2.jpg
/user/data/modul-images/26480-video-2.jpg
/user/data/modul-images/28523-video-wienerberger-3.jpg
/user/data/modul-images/25636-video-yawal-c-7.jpg
/user/data/modul-images/29495-video-vptrend-6.jpg
/user/data/modul-images/28749-video-untitled-6-1-1.jpg
/user/data/modul-images/27434-video-becker-1.jpg
/user/data/modul-images/24924-video-image4.jpg
/user/data/modul-images/22034-video-image1.jpg
/user/data/modul-images/22327-video-image1.jpg
/user/data/modul-images/22671-video-image13.jpg
/user/data/modul-images/4279-video-obi3.jpg

/user/data/modul-images/28756-article-index-small-1.jpg
/user/data/modul-images/29443-article-index-small-gienger-1.jpg
/user/data/modul-images/29648-article-index-small-metrostav-02.jpg
/user/data/modul-images/29503-article-index-small-ciur-2.jpg
/user/data/modul-images/29480-article-index-small-yawal-1.jpg
/user/data/modul-images/29643-article-index-small-sudop-01.jpg
/user/data/modul-images/29655-article-index-small-gienger-02.jpg



Text/HTML Ratio

HTML to Text Ratio is: **21.72%**



Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.

Text content size 21486 bytes

Total HTML size 98920 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compression



Wow! It's GZIP Enabled.

✓ Your webpage is compressed from 96 KB to 18 KB (81.2 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 89.185.239.55 does not redirect to tvstav.cz
  

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.
Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.
If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Good, all URLs look clean and friendly
  

Your site's URLs contain unnecessary elements that make them look complicated.
A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.
Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs
  

Great, you are not using ?underscores (these_are_underscores) in your URLs.
While Google treats hyphens as word separators, it does not for underscores.

✓ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.



Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✓ **XML Sitemap** Good, you have XML Sitemap file!



<http://tvstav.cz/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✓ **Robots.txt** Good, you have Robots.txt file!



<http://tvstav.cz/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.



Embedded Objects

Perfect, no embedded objects has been detected on this page



Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.



Iframe

Oh no, iframe content has been detected on this page



Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.



Domain Registration

Exactly how many years and months



Domain Age: 54 Years, 316 Days

Created Date: 1st-Jan-1970

Updated Date: 1st-Jan-1970

Expiry Date: 1st-Jan-1970

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.



Indexed Pages



Indexed pages in search engines

16,900 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Backlinks Counter



Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL



`http://tvstav.cz`

Length: 6 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., `http://www.mysite.com/en/products`).



Favicon



Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page



Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



Page Size



96 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



Load Time



0.45 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.



Language



Good, you have declared your language

Declared Language: Czech

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
tvstav.com	Available
tvstav.net	Available
tvstav.org	Already Registered
tvstav.biz	Already Registered
tvstav.us	Available

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
rvstav.cz	Available
fvstav.cz	Available
gvstav.cz	Already Registered
hvstav.cz	Available
yvstav.cz	Available

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Good, no email address has been found in plain text.

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Awesome! This page is mobile-friendly!
Your mobile friendly score is 80/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Bad, embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View

⚙ ⚙ ⚙

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
89.185.239.55	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✓ Perfect, your website has few CSS files.
- ✓ Perfect, your website has few JavaScript files.
- ✓ Perfect, your website doesn't use nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.



Doc Type

Your Web Page doctype is HTML 5



The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.



W3C Validity

W3C not validated



W3C is a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.



Encoding

Great, language/character encoding is specified: UTF-8



Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  2008

 Twitter: 

 Instagram: 

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:

Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$60 USD

Just a estimated worth of your website based on Alexa Rank.



In-Page Links



We found a total of 113 links including both internal & external links of your site

Anchor	Type	Follow
No Anchor Text	Internal Links	Dofollow
Zpravodajství Zprávy	Internal Links	Dofollow
Videa	Internal Links	Dofollow
Firmy	Internal Links	Dofollow
Téma - Inženýrské a vodohospodářské stavby Inž. Stavby	Internal Links	Dofollow
Architektura	Internal Links	Dofollow
Projektanti	Internal Links	Dofollow
Finance	Internal Links	Dofollow
Developeři	Internal Links	Dofollow
Materiály	Internal Links	Dofollow
Realizace staveb	Internal Links	Dofollow
Dílce	Internal Links	Dofollow
Konstrukce	Internal Links	Dofollow
Střechy	Internal Links	Dofollow
Výplně otvorů	Internal Links	Dofollow
Instalace	Internal Links	Dofollow
Fasády	Internal Links	Dofollow
Řemesla	Internal Links	Dofollow
Koupelna	Internal Links	Dofollow
Kuchyně	Internal Links	Dofollow
Interiéry	Internal Links	Dofollow
Zahrada	Internal Links	Dofollow
Bazény	Internal Links	Dofollow
Design	Internal Links	Dofollow
Velkoobchody	Internal Links	Dofollow
Energetika	Internal Links	Dofollow
Technika	Internal Links	Dofollow
Institute	Internal Links	Dofollow
Doprava	Internal Links	Dofollow
Ekologie	Internal Links	Dofollow
Společenské akce	Internal Links	Dofollow
Videa	Internal Links	Dofollow
Stavební poradna	Internal Links	Dofollow
Schell	Internal Links	Dofollow
Snižování nehodovosti na cestách v rizikových lokalitách díky systému DynaSmart VMS	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Nevšední obvodový plášť z lamel Prefa Siding X dominuje rodinnému domu v Náchodě	Internal Links	Dofollow
Rehau představila na výstavě Fensterbau nový okenní systém ARTEVO a řadu dalších novinek	Internal Links	Dofollow

Jsmo posedlí barvami, říká skandinávský trend expert, který vystoupí na DESIGN SHAKER	Internal Links	Dofollow
Obvodovému plášti sportovní haly v Dolních Břežanech dodal punc originality šindel Prefa	Internal Links	Dofollow
Obchodní galerie Smetanova ve Vsetíně si oblékla originální obvodový plášť	Internal Links	Dofollow
Výstavba rodinného domu v Praze nemusí být snem. SATPO nabízí stavební pozemky	Internal Links	Dofollow
Stavebnictví i přes pokles na počátku roku očekává v druhém pololetí oživení	Internal Links	Dofollow
Lexus Norton nabízí k prodeji útulný prostorný byt 1+kk s výtahem	Internal Links	Dofollow
Začíná výstavba etapy Smíchov City Jih. Její dominantou bude centrála České spořitelny	Internal Links	Dofollow
SATPO zkolaudovalo dva rezidenční projekty na Praze 5	Internal Links	Dofollow
Prefabrikovaná instalační šachta REHAU šetří montážní čas a prostor	Internal Links	Dofollow
Panasonic představil environmentální vizi na 250 let i supervýkonná tepelná čerpadla ...	Internal Links	Dofollow
Hitachi představila na ISH 2023 nové hydrosplitové tepelné čerpadlo Yutaki H Combi	Internal Links	Dofollow
Klimatický modul Zehnder přiváděný vzduch dochlazuje, dohřívá i odvlhčuje!	Internal Links	Dofollow
SCHLIEGER rozšiřuje portfolio A.I. READY o výkonný asymetrický střídač a designové ...	Internal Links	Dofollow
Koupelnové vybavení a obklady nové generace nabízí studio Elements v Karlových Varech	Internal Links	Dofollow
Sprchy na zimním stadionu v Kuřimi šetří vodu a perfektně fungují díky armaturám Schell	Internal Links	Dofollow
V rámci Zlín Design Weeku vrcholí ve studiu Elements výstava Identita	Internal Links	Dofollow
Obklady a koupelnové vybavení vybrala paní Tereza v koupelnovém studiu Elements	Internal Links	Dofollow
Řada oblíbených sanitárních armatur Schell Modus se rozšiřuje o nové výrobky	Internal Links	Dofollow
Bezmotorový odsavač + střešní ventilátor = tichá kuchyně bez hluku a zápachu	Internal Links	Dofollow
Metrostav dokončil pro Škodu Auto největší závodní kuchyni v ČR	Internal Links	Dofollow
Systém RE.GUARD zabezpečí domácnost při haváriích a únicích vody i ve vaší nepřítomnosti	Internal Links	Dofollow
Dodavatel koupelnových baterií a sprch Hansgrohe CS Brno oslavilo 25	Internal Links	Dofollow
Trendem moderních kuchyní dneška jsou přírodní barvy a jednoduchý funkcionalistický design	Internal Links	Dofollow
S použitím velkoformátových prvků na bázi dřeva lze stavět rychle, efektivně a udržitelně	Internal Links	Dofollow
Foukaná tepelná izolace stále s lidskou inteligencí a zdravým selským rozumem	Internal Links	Dofollow
Designová dřevěná podlaha je řemeslné umění s pomocí výrobků Pallmann	Internal Links	Dofollow
Pro výstavbu nízkoenergetických a pasivních domů představují cihly Heluz optimální řešení	Internal Links	Dofollow
Nádraží Leisnig. Renovace střechy památkově chráněné budovy s puren® MetalFix.	Internal Links	Dofollow
Energeticky aktivní dům na Plzeňsku předběhl dobu a dnes se dvojnásob vyplácí	Internal Links	Dofollow
Dvorecký most po svém dokončení přispěje ke zrychlení tramvajové a autobusové dopravy	Internal Links	Dofollow
Stavbaři v Jihlavě dokázali, že průmyslová hala se dá založit i v „bažině“	Internal Links	Dofollow
Pražským jezům se vrací historická krása. Po Staroměstském prochází rekonstrukcí ...	Internal Links	Dofollow
Pokřývačská a stavební společnost Stav Moravia slaví 30. výročí svého založení	Internal Links	Dofollow
Střešní tašky Terran Danubia a Terran Synus si i loni udržely přízeň zákazníků	Internal Links	Dofollow

Přehřívá se vám podkroví a parné léto znepříjemňuje život v chatě či chalupě?	Internal Links	Dofollow
Svařování PVC hydroizolačních fólií přenechte odborným izolačským firmám - 2. část	Internal Links	Dofollow
Nevšední šikmá střecha z hliníkových šindelů Prefa dominuje krásnému domu u Dvora Králové	Internal Links	Dofollow
Sdružení výrobců pro ploché střechy připravuje semináře na téma plochých střech ...	Internal Links	Dofollow
Střešní okna Tondach: Optimální řešení pro každé obytné podkroví	Internal Links	Dofollow
Systém MOREVIEW - inovativní panoramatické posuvné dveře se skrytým rámem	Internal Links	Dofollow
Nadčasová elegance a unikátní vzhled vstupních dveří společnosti VP trend	Internal Links	Dofollow
Společnost BECKER uvádí na trh nový inteligentní přijímač VC470 PLUS pro venkovní žaluzie	Internal Links	Dofollow
Duben je tady a s ním nadchází čas jarní údržby zahrad	Internal Links	Dofollow
Podívejte se na průběh montáže protidešťové hliníkové pergoly	Internal Links	Dofollow
Jak vytvořit ochranný nátěr betonového povrchu základu terasy? Podívejte se!	Internal Links	Dofollow
Realizace kryté terasy z WPC lamel (dřevoplastu) na nosný podkladní rošt	Internal Links	Dofollow
Jak správně vybrat a vysadit živý plot	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Další partneři	Internal Links	Dofollow
O webu	Internal Links	Dofollow
Kontakt	Internal Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links. Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.